	CLASSIFICATIO	ON SECRET '	· .
	CENTR	AL INTELLIGENCE AGENCY	·
	INFOR	MATION REPOR	T CD NO.
COUNTRY	Czechosiovakia		
SUBJECT	Bozi Dar Military Airpor	t meer Tilovice	DATE DISTR. 25' o ct 52 NO. ÓF PAGES 1
PLACE			ND. OF PAGES 1
VCOULBED			NO OF ENCLS. 2
DATE ACQUIRED			(A), (B) SUPPLEMENT TO
DATE OF IN	- F		REPORT NO.
THIS DOCUMENT	DAVETHE CHARGEMATION LOVECTION THE SATIONAL OF	The state of the s	
AND "B4, OF TH LATION OF LTG FREHIBITES OF	U.S. CORES AS AMERICA . ITS TRANSMISSION OF BATCHTS TO OF RECEIPT ST AN UNAUTHORIZED PER BATCHTS TO OF RECEIPT ST AN UNAUTHORIZED PER BB. THE REPRODUCTION OF THIS FROM IN PROMISS	THIS IS	UNEVALUATED INFORMATION
		- 10 1/1055 BOC+ 1/10-11	
2. 3. :	The prevailing winds are a climate was mild with norm tunway construction began in the direction shown on allitary Airport near Nils	or the cf location of loci Damerthwest; visibility is all rainfall; the airport in 1946. Before that tire sketch See: Enclose	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dan
2, 3, 1	The prevailing winds are relimate was mild with normal tunway construction began in the direction shown on ilitary Airport near Milo cward the northwest. Lan oward the southwest. Ne	ch of location of ozi Damorthwest; visibility is all rainfall; the airport in 1946. Fefore that tir the sketch See: Enclosivice dings were sometimes made ither take-off nor approa	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar , is the landings were mainly in the opposite direction, ach runways were marked at the There was no control town
2. 3. :	The prevailing winds are a climate was mild with norm that was mild with norm that direction shown on allitary Airport near Milo coward the northwest. Lan oward the southwest. Ne ime to flight obstacles existence of approximately is a road from Milovice and in the prevail of the communications.	ch of location of ozi Dar northwest; visibility is nal rainfall; the airport in 1946. Before that tir the sketch /See: Enclose vice dings were sometimes made ither take-off nor approa d within a five to twenty lines and the Liblice rad smitting tower was 250 m 20 km south of the airpor	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar , ie the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. The km radius of the field, lio transmitter installation in height and lay at a t. Access to the field was
2. 3. 1. 4. 3. 6. 6. 6. 7. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.	The prevailing winds are relimate was mild with normal sunway construction began in the direction shown on illitary Airport near Filo oward the northwest. Lan oward the southwest. Ne ime of flight obstacles existence of flight obstacles existence of approximately for road from Milovice and interpret did not have becought in the but suignment (1946). There was there AAA guns or night	ch of location of ozi Dar northwest; visibility is nal rainfall; the airport in 19h6. Before that tir the sketch See: Enclose vice dings were sometimes made ither take-off nor approa- d within a five to twenty lines and the Liblice rad south of the airport black Benatky. codcast equipment; flight was not yet in use is no auxiliary equipment; flight and radar equipment	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar is the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. km radius of the field, dio transmitter installation in height and lay at a t. Access to the field was t control equipment was The airport had teletype for flight operations; nor
2. 3. 1. 4. 1. 6. Th	The prevailing winds are inclimate was mild with normal sunway construction began in the direction shown on ilitary Airport near Filo oward the northwest. Landoward the southwest. Ne ime of hight obstacles existed except for communications in the same of approximately for road from Milovice and inclination of approximately for road from Milovice and inclination of approximately for the same of	ch of location of local Dar northwest; visibility is nal rainfall; the airport in 19h6. Before that tir the sketch See: Enclose vice dings were sometimes made ither take-off nor approa- d within a five to twenty lines and the Liblice rad smitting tower was 250 m 20 km south of the airpor Stare Benatky. coadcast equipment; flight was not yet in use is no auxiliary equipment; flight and radar equipment; flight and radar equipment; flight and oil were	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar is the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. km radius of the field, dio transmitter installation in height and lay at a t. Access to the field was t control equipment was The airport had teletype for flight operations; nor
2. 3. 1. 4. 3. 6. Tr	The prevailing winds are relimate was mild with normal sunway construction began in the direction shown on ilitary Airport near Filo cward the northwest. Land oward the southwest. Near Cesky Brod. The translatance of approximately for road from Milovice and interpret did not lave but ought in the part of	ch of location of local Dar northwest; visibility is nal rainfall; the airport in 19h6. Before that tir the sketch See: Enclose vice dings were sometimes made ither take-off nor approa- d within a five to twenty lines and the Liblice rad smitting tower was 250 m 20 km south of the airpor Stare Benatky. coadcast equipment; flight was not yet in use is no auxiliary equipment; flight and radar equipment; flight and radar equipment; flight and oil were	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar is the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. km radius of the field, dio transmitter installation in height and lay at a t. Access to the field was t control equipment was The airport had teletype for flight operations; nor
2. 3. 1. 4. 3. 6. Th	The prevailing winds are in the prevailing winds are in the direction began in the direction shown on illitary Airport near Milo oward the northwest. Landoward the southwest. Near Cesky Brod. The transfer Cesky Brod. The transfer of approximately in the control of the communications is a cest from Milovice and in the cought in the cough	ch of location of ozi Damer the continuent; visibility is all rainfall; the airport in 1946. Fefore that tire sketch See: Enclose vice dings were sometimes made ither take-off nor approad within a five to twenty lines and the Liblice radional smitting tower was 250 m 20 km south of the airportare Benatky. Coadcast equipment; flight was not yet in use is no auxiliary equipment; flight and radar equipment; flight and radar equipments. Gasoline and oil were re in use on the field. -end-	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar , is the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. The radius of the field, lio transmitter installation in height and lay at a t. Access to the field was t control equipment was The airport had teletype for flight operations; nor ext. s stored in barrels.
2. 3. 1. 4. 3. 6. Th	The prevailing winds are in the prevailing winds are in the direction began in the direction shown on illitary Airport near Milo oward the northwest. Landoward the southwest. Near Cesky Brod. The transfer Cesky Brod. The transfer of approximately in the control of the communications is a cest from Milovice and in the cought in the cough	ch of location of ozi Damer the continuent; visibility is all rainfall; the airport in 1946. Fefore that tire sketch See: Enclose vice dings were sometimes made ither take-off nor approad within a five to twenty lines and the Liblice radional smitting tower was 250 m 20 km south of the airportare Benatky. Coadcast equipment; flight was not yet in use is no auxiliary equipment; flight and radar equipment; flight and radar equipments. Gasoline and oil were re in use on the field. -end-	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar , is the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. The radius of the field, lio transmitter installation in height and lay at a t. Access to the field was t control equipment was The airport had teletype for flight operations; nor ext. s stored in barrels.
2. 3. 1. 4. 3. 6. Th	The prevailing winds are relimate was mild with normal sunway construction began in the direction shown on illitary Airport near Milo oward the northwest. Lan oward the southwest. Ne ime of flight obstacles existence of approximately for communications are Cesky Brod. The translatance of approximately for road from Milovice and interest of the search	ch of location of ozi Damer the continuent; visibility is all rainfall; the airport in 1946. Fefore that tire sketch See: Enclose vice dings were sometimes made ither take-off nor approad within a five to twenty lines and the Liblice radional smitting tower was 250 m 20 km south of the airportare Benatky. Coadcast equipment; flight was not yet in use is no auxiliary equipment; flight and radar equipment; flight and radar equipments. Gasoline and oil were re in use on the field. -end-	good with fogs rare. The was 200 m above sea level. me landings usually were made ure (A): Sketch of Bozi Dar is the landings were mainly in the opposite direction, ach runways were marked at the There was no control tower. It km radius of the field, lio transmitter installation in height and lay at a t. Access to the field was t control equipment was t control equipment was The airport had teletype for flight operations; nor seat. s stored in barrels.

25X1

SECRET

ENGLOSURE (A)

LEGEND

State highway, bilovice - Stare Benatky, approximately nine m wide, made of asphalt Field road between the airport and the forest, three m wide; this road leads to the

2a. Field road to the village of Vapensko

3. Buildings of the army Farm, 300 x 150 - rea; these buildings served for dwellings, stables and sheds. On the side toward the airport the farm was enclosed by a fence. Hangars, steel and wood construction with tar paper roofs, each building was 50 x 50 x

Military unit command for the airport. A two-story ruilding, 50 x 12 m, tile roof

Guards' room, a one-story brick h use, 10 x 15 m with a tile roof

7. Soldiers' quarter, six one-stery brick barracks, 50 x 12 m with tile roofs

apartments for the officers, a two-story brick building, 20 x 36 m with a tile roof 9. Brick house used for fuel storage, one-story, 15 x 30 m with a tile roof

10. Garages and small workshops in the same house as that listed as point No 9


The edge of the airport was not enclosed by a fence but was marked with red and white

Forest. admission to the forest was forbidden, due to mine fields laid by the Jermans

13. Entrance to the airport

25X1

25X1



25X1


ENCLOSURE (B)

25X1

SECRET,

SKETCH OF LOCATION OF BOZI DAR AIRPIELD





Secret_.